



2026 PRODUCT BROCHURE



The background image shows a warm, inviting living room. In the center, a dark wood heater is lit with a bright fire. In the foreground, two white ceramic mugs with a brown rim and a snowflake design are filled with coffee, sitting on a light-colored, textured blanket. To the right, a wooden coat rack stands against a light-colored wall. The overall atmosphere is cozy and comfortable.

kalora

HEART OF THE HOME


Whether it's a traditional upright freestanding wood heater, or a modern contemporary design, Kalora wood heaters come in a range of styles to compliment any home interior. The Kalora range offers great value for home-owners while still delivering exceptional performance, aesthetic appeal and craftsmanship.

The team at Kalora have extensive experience designing, manufacturing and supplying quality heating appliances to Australian's for over 70 years. Designed and manufactured in our state of the art, world class facility, each Kalora appliance is constructed and finished in the highest quality materials available. We combine high tech industrial design, robotic technology and quality materials to ensure years of "hassle free heating" with the backing of a 15 year firebox warranty on selected Kalora appliances.

Our wood heaters have a unique charm that truly does make them the heart of any home. Their warm, crackling flames evoke a sense of nostalgia and comfort, creating a cozy ambiance that no other heating solution can match.



**KALORA IS AUSTRALIAN OWNED
DESIGNED & ENGINEERED**



designed

AND BUILT TO LAST

- ✔ Kalora's range of radiant and fan forced convection wood fires are engineered to efficiently heat homes up to 300m².
- ✔ All Kalora wood fired appliances meet or exceed the 2019 Australian Standards for emissions and efficiency.
- ✔ Premium quality Senotherm high temperature paint is the standard finish on all Kalora appliances.
- ✔ Kalora wood fired appliances are designed to maximise burn times and fulfill our obligations to reduce emissions under the Australian Standard.
- ✔ Don't have a chimney?
Not a problem, zero clearance solutions are available for all Kalora inbuilt wood & gas fired appliances.
- ✔ Kalora appliances include high quality, low maintenance fireproof glass that is made in Japan.
- ✔ Our "clearview" air wash system keeps the fireproof glass clear and cleaner, for longer.



striving towards

A SUSTAINABLE FUTURE

KALORA IS COMMITTED TO ENVIRONMENTAL SUSTAINABILITY AND PROMOTES THE USE OF RENEWABLE ENERGY.

We support good forestry practices and ongoing improvements in wood burning stoves and heaters that use firewood. Kalora's modern wood heaters warm faster, more efficiently, and are designed for better heat distribution.

Burning sustainably sourced wood releases CO₂ that's part of a short-term carbon cycle, unlike fossil fuels which add long-stored carbon to the atmosphere.

Wood is a renewable resource, sustainable through the continuous replanting of trees. Compared to non-renewable fossil fuels such as coal, oil, and natural gas, wood heating is a better choice. Firewood plantations can also serve other ecologically desirable functions including wastewater treatment, salination reduction, erosion control, wildlife habitat and aesthetics.

Firewood serves an important role in Australia's domestic heating sector and is an affordable and desirable heating option for many families.




KA425R

425R

Beautifully crafted compact and affordable without compromising on performance and efficiency. Small in size, the Kalora 425R is the perfect investment for a cottage, holiday house or man-cave.

THE BENEFITS

- 1 SMALL BUT MIGHTY**
 Ideal heating solution for a cottage, man-cave or holiday house.
- 2 DUAL AIR CONTROLS**
 Achieve a better, more efficient burn with dual air controls*.
- 3 TRADITIONAL STYLE**
 Cast iron door and stylish features enables the 425R to create a cosy ambiance like no other.

TECHNICAL SPECIFICATIONS

Heat up to 140m ²	Firebox: 375w x 330d x 350h	Efficiency 63%
Radiant heating - no fan	Heater: 500w x 445d x 700h	Emissions 1.5g/kg
5mm heavy duty firebox	Radiant cooking surface	Avg. kW rating 15.6kW
15 Fifteen year firebox warranty	Log size to 300mm	

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100018

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1200mm	FHPT105120
Corner 1250mm x 1250mm	FHPT125C

CONSUMABLE ITEMS

Firebrick set	SP14008
Baffle	SP14017
Brick retainer	SP14007
Glass seal	SG030400002
Rope seal	SG030300004


Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Hexagon 500
Wood Storage (item no. FLS002)



Forge Mahogany Fire Tool Set
(item no. FFT104B)



Forge Dry Glass Cleaner
(item no. SG010400043)



Forge Exo Fan Swing
(item no. SG050600021)

**When operated correctly as per user manual.*



500C

Create an irresistible atmosphere of beauty and warmth with this beautifully crafted fireplace. The fan forced convection heating allows minimal clearance requirements which makes it a great choice for homes where space and proximity to combustible items presents a challenge.

THE BENEFITS

- 1 WE'VE GOT YOU COVERED**
15 year firebox warranty means quality you can trust.
- 2 IT'S IN THE DETAILS**
Choose stunning oak finishes & stainless steel highlights, or understated black stain wood finishes & black grill.
- 3 MINIMAL CLEARANCES**
This is the perfect solution for any home where space and proximity to combustible items present a challenge.

TECHNICAL SPECIFICATIONS

 Heat up to 200m ²	 Firebox: 500w x 360d x 300h	 Efficiency 67%
 Convection heating - fan forced	 Heater: 672w x 490d x 690h	 Emissions 1.1g/kg
 6mm heavy duty firebox	 Log size to 300mm	 Avg. kW rating 7.9kW
15 Fifteen year firebox warranty		

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1200mm	FHPT105120
Corner 1250mm x 1250mm	FHPT125C

CONSUMABLE ITEMS

Firebrick set	SP20009
Baffle	SP20033
Brick retainer	SP20035
Glass seal	SG030400002
Rope seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.




Forge Hinterland Wood Storage (item no. FFT28BS)



Forge Ellipse Fire Tool Set (item no. FFT173S)



Forge Gloves (item no. SG050600009)



Forge Large Safety Guard (item no. FCCG003B)

KA500C



KA600C

600C

Love the romance of an open fire and the cosy warmth of an efficient slow combustion wood heater? We found your match! The 600C is a powerhouse with fan assisted heating capable of spreading warmth throughout large homes and open plan spaces.

THE BENEFITS

- 1 MAXIMISED BURN TIMES**
Keep your home warmer for longer with a large 600w x 400d firebox.
- 2 ROBUST CONSTRUCTION**
Built to withstand the rigours of regular use, providing long-lasting durability and reliability.
- 3 CUSTOMISE YOUR COMFORT**
3 adjustable fan speeds enables you to control the intensity of the warmth.

TECHNICAL SPECIFICATIONS

 Heat up to 300m ²	 Firebox: 600w x 400d x 360h	 Efficiency 62%
 Convection heating - fan forced	 Heater: 772w x 560d x 762h	 Emissions 1.3g/kg
 6mm heavy duty firebox	 Log size to 350mm	 Avg. kW rating 10.1kW
15 Fifteen year firebox warranty		

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1200mm	FHPT105120
Corner 1425mm x 1425mm	FHPT1425C

CONSUMABLE ITEMS

Firebrick set	SP30010
Baffle	SP30033
Brick retainer	SP30035
Glass seal	SG030400002
Rope seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Oblique Wood Storage
(item no. FLS008)



Forge Valyrian Fire Tool Set
(item no. FFT85S)



Forge Easy Soot Remover
(item no. SG050100002)



Forge 6' Flue Brush
(item no. FFB304)



KA500BX2

500BX

Say goodbye to the winter blues this year and look forward to toasty nights by the fire with your loved ones. Get the amazing performance and quality you expect from a Kalora 500 with the added advantage of a wood storage pedestal, ideal for this nights when it is just too cold to go outside for more wood.

THE BENEFITS

- 1 KEEPING YOU WARM**
Easily heat up to 200m² with the generously sized 500BX.
- 2 NEAT AND TIDY**
No need to worry about extra wood storage when you've got the woodbox pedestal included.
- 3 QUALITY GUARANTEED**
5.5mm heavy duty firebox with a 15 year warranty* and 8mm heavy duty steel baffle plate.

TECHNICAL SPECIFICATIONS

 Heat up to 200m ²	 Firebox: 500w x 360d x 300h	 Efficiency 67%
 Convection heating - fan forced	 Heater: 672w x 490d x 817h	 Emissions 1.1g/kg
 6mm heavy duty firebox	 Log size to 300mm	 Avg. kW rating 7.9kW
 Fifteen year firebox warranty	 In-built wood storage	

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1200mm	FHPT105120
Corner 1250mm x 1250mm	FHPT125C

CONSUMABLE ITEMS

Firebrick set	SP20009
Baffle	SP20033
Brick retainer	SP20035
Glass seal	SG030400002
Rope seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Zero 1000 Wood Storage
(item no. FLS006)



Forge Valyrian Fire Tool Set
(item no. FFT85S)



Forge Gloves
(item no. SG050600009)



Forge Rope Seal Kit
(item no. SG030300006)



KA600BX2

600BX

Love the romance of an open fire and the cosy warmth of an efficient slow combustion wood heater? We found your match! The largest wood fire in the Kalora range, the 600BX is a powerhouse with fan assisted heating capable of spreading warmth throughout large homes and open plan spaces.

THE BENEFITS

- 1**
BIG HEAT WHERE YOU NEED IT
 600BX is the largest of the Kalora range, boasting a huge 600w x 400d firebox.
- 2**
MINIMALIST DESIGN
 No need for additional wood storage - the 600BX has one built in.
- 3**
ENHANCED EFFICIENCY
 The 600BX boasts an average efficiency of 62%, ensuring that you get the most out of every wood burn.

TECHNICAL SPECIFICATIONS

 Heat up to 300m ²	 Firebox: 600w x 400d x 360h	 Efficiency 62%
 Convection heating - fan forced	 Heater: 772w x 560d x 861h	 Emissions 1.3g/kg
 6mm heavy duty firebox	 Log size to 350mm	 Avg. kW rating 10.1kW
15 Fifteen year firebox warranty	 In-built wood storage	

INSTALLATION PARTS

FLUE KIT	
Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING	
Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH	
Straight 1050mm x 1200mm	FHPT105120
Corner 1425mm x 1425mm	FHPT1425C


CONSUMABLE ITEMS

Firebrick set	SP30010
Baffle	SP30033
Brick retainer	SP30035
Glass retainer	SG030400002
Rope seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Iron Grey Fire Tool Set
(item no. FFT69BE)



Forge Easy Soot Flue Cleaner
(item no. SG050100002)



Senotherm Metallic Black Paint
(item no. SG050500001)



Forge Lrg Corner Heater Guard
(item no. FCG03BC)



SG010100019

Chalet 5

Introducing our revolutionary Chalet range of wood fires; the epitome of affordability and functionality. Unleash the warmth of high-end features without breaking the bank. Elevate your home with a stylish, cost-effective heating solution that embodies both comfort and sophistication.

THE BENEFITS

- 1 A MODERN CLASSIC**
 Sharp lines, flat finish, and square shape bring a contemporary edge to a classic wood heater.
- 2 PEACE OF MIND**
 Know that we back our products; with Kalora Chalet you'll get a 10 firebox warranty.
- 3 IMPROVED COMFORT**
 Heat up rooms quickly and maintain a comfortable temperature with convection fan forced heating.

TECHNICAL SPECIFICATIONS

 Heat up to 200m ²	 Firebox: 500w x 360d x 300h	 Efficiency 67%
 Convection heating - fan forced	 Heater: 595w x 505d x 690h	 Emissions 1.1g/kg
 6mm heavy duty firebox	 Log size to 300mm	 Avg. kW rating 7.9kW
 Ten year firebox warranty		

INSTALLATION PARTS

FLUE KIT	
Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING	
Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH	
Straight 1050mm x 1200mm	FHPT105120
Corner 1425mm x 1425mm	FHPT1425C

CONSUMABLE ITEMS

Firebrick set	SP20009
Baffle	SP20033
Brick retainer	SP20035
Glass seal	SG030400002
Rope seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.




Forge Hexagon 850 Corten Wood Storage (FLS001)



Forge Iron Grey Fire Tool Set (FFT69BE)



Senotherm Metallic Black Paint (SG050500001)



Forge Large Corner Heater Guard (FCG03BC)



SG010100020

Chalet 6

Introducing our revolutionary Chalet range of wood fires; an epitome of affordability and functionality. Unleash the warmth of high-end features without breaking the bank. Elevate your home with a stylish, cost-effective heating solution that embodies both comfort and sophistication.

THE BENEFITS

- 1**
GENEROUS CAPACITY
 Experience ample space for larger logs, allowing for longer burning times and fewer reloads.
- 2**
AFFORDABLE QUALITY
 Enjoy the warmth of quality wood fires without straining your budget.
- 3**
ONE FOR THE ENVIRONMENT
 Efficiently heating large areas reduces energy use and environmental impact.

TECHNICAL SPECIFICATIONS

-  Heat up to 300m²
-  Firebox: 600w x 400d x 360h
-  Efficiency 62%
-  Convection heating - fan forced
-  Heater: 695w x 536d x 733h
-  Emissions 1.3g/kg
-  6mm heavy duty firebox
-  Log size to 350mm
-  Avg. kW rating 10.1kW
- 10** Ten year firebox warranty

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1200mm	FHPT105120
Corner 1425mm x 1425mm	FHPT1425C

CONSUMABLE ITEMS

Firebrick set	SG030600021
Baffle	SP30033
Brick retainer	SG030700800
Glass seal	SG030400002
Rope seal	SG030300006


Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

MUST HAVES

Complete your setup with a comprehensive range of Forge-designed fireside accessories, cleaning, and maintenance products.




Forge Hexagon 850 Corten Wood Storage (FLS001)



Forge Iron Grey Fire Tool Set (FFT69BE)



Senotherm Metallic Black Paint (SG050500001)



Forge Large Corner Heater Guard (FCG03BC)



SG010100006

Urban LS

Immerse yourself in fireside luxury with the Kalora Urban LS wood fire, meticulously designed and engineered in Australia for our unique conditions. Elevate your home with the innovative eye-catching aesthetics and user-centric features. Enjoy clean, low-emission burning and contemporary styling that defines modern elegance.

THE BENEFITS

- 1 DESIGNER LOOKS**
With its smooth curves, integrated handles and clean lines, the Urban LS is a statement piece for any contemporary home.
- 2 YOUR FIRE, YOUR WAY**
Style this wood heater with a plinth, woodbox, pedestal, or create your own custom concrete plinth. In-built option also available.
- 3 VERMICULITE LINERS**
Improving heating capacity and reducing wood consumption. Maximising burning to minimise emissions.

TECHNICAL SPECIFICATIONS

 Heat up to 300m²	 Log size to 300mm	 3 Speed wireless fan with remote control (SG030700628)
 5mm heavy duty firebox	 Efficiency 61%	 LS Woodbox base (SG030700337) 312mm height
 Fifteen year firebox warranty	 Emissions 0.7g/kg	 Pedestal base (SG030700333) 312mm height
 Firebox: 795w x 317d x 328h	 Avg. kW rating 9.0kW	 Plinth base (SG030700336) 1456w x 513d x 312h (mm)
 Heater: 950w x 505d x 504h		

INSTALLATION PARTS

FLUE KIT	
Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING	
Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH	
Straight 1200mm x 1200mm	FHPT120

CONSUMABLE ITEMS

Firebrick set	SG030600041
Baffle (2 required)	SG030700911
Brick retainer	SPSTY112 (Rear)
	SPSTY111 (Corner, 2 required)
Glass seal	SG030400002
Rope seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

DESIGN OPTIONS



URBAN LS DEPICTED WITH OPTIONAL PEDESTAL



URBAN LS DEPICTED WITH OPTIONAL PLINTH





SC010100016

Urban PT

Bring luxury to any size home with the Kalora Urban PT, a unique upright wood fire meticulously designed and engineered in Australia for our unique conditions. With the Urban PT's eye-catching aesthetics, user-centric features, and innovative interchangeable base system you'll enjoy clean, low-emission combustion and contemporary styling that defines modern elegance.

THE BENEFITS

- 1 IMPRESSIVE PERFORMANCE**
 At 68% efficiency and 0.5g/kg emissions the Urban PT is a cleaner, greener choice for you and the environment.
- 2 SLIMLINE DESIGN**
 The stylish upright configuration ensures the Urban PT can effortlessly blend into any space.
- 3 ELEVATE THE LOOK**
 Choose the space saving inbuilt option, place the Urban PT on the plinth, or create a cosy look with the PT custom woodbox.

TECHNICAL SPECIFICATIONS

- Heat up to 200m²
- 5mm heavy duty firebox
- Fifteen year firebox warranty
- Firebox: 365w x 320d x 500h
- Heater: 518w x 505d x 720h
- Log size to 300mm
- Efficiency 68%
- Emissions 0.5g/kg
- Avg. kW rating 7.3kW

INSTALLATION OPTIONS

- 3 Speed wireless fan with remote control (SG030700628)
- PT Woodbox base (SG030700345) 312mm height
- Plinth base (SG030700336) 1456w x 513d x 312h (mm)

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1200mm	FHPT105120
Corner 1250mm x 1250mm	FHPT125C

CONSUMABLE ITEMS

Firebrick set	SG030600040
Baffle	SG030700911
Brick retainer	SPSTY112 (Rear)
	SPSTY111 (Corner, 2 required)
Glass seal	SG030400002
Rope Seal	SG030300006

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

DESIGN OPTIONS



URBAN PT DEPICTED WITH OPTIONAL PLINTH



Urban Inbuilt

Our most contemporary and luxurious Urban range is now available as inbuilt wood heaters. Free up your floor space while still enjoying the ambiance and heat of a traditional wood heater.

TECHNICAL SPECIFICATIONS

 Refer to Urban LS product page

 Refer to Urban PT product page

INSTALLATION PARTS

CENTRAL HEATING

Hot air dilution & distribution kit (HDDK) SG060300001

FLUE KIT

Triple Skin Zero Clearance Flue Kit SCFKZCB06

ZERO CLEARANCE BOX

PT Zero clearance box SG030700341
LS Zero clearance box SG030700338

FASCIA


PT fascia SG030700948
LS fascia SG030700947

WOOD FIRED CENTRAL HEATING EXPLAINED

Did you know your inbuilt Urban can operate as a genuine whole home central heating unit with the addition of Forge *Hot Air Dilution & Distribution Kit* (HDDK)?

Designed specifically for high-output inbuilt woodfires, like the Kalora Urban, the (HDDK) dilutes and distributes warm air, up to 75°C, to 1, 2 or 3 separate rooms. The Forge HDDK is Australian designed and features an auto-close fail-safe that activates during power outages for peace of mind.

Experience the comfort of radiant heat and flickering flames fireside, while simultaneously heating other rooms in your home with gentle warmth.



Right: Example floorplan layout of the HDDK wood fired ducted heating system.

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.



FLUE DAMPER
Oven temp. control

PRIMARY AIR CONTROL INLET

Your main source of air to the firebox, adjusting the slide regulates the burn rate of your fire.

SECONDARY AIR CONTROL INLET

Provides air intake directly to the firebox coal base, to further regulate burn rate.

OVEN TEMP CONTROL

Provides cool air intake to oven - helping to regulate heat.

KAF50

Fusion

Nothing says home like the crackle of wood and the aroma of fresh scones baking in the oven. The Fusion wood heater, with built-in baker's oven and removable hot plates, brings back the simple pleasures of country living - warmth, flavour, and timeless comfort.

THE BENEFITS

- 1 TEMP. CONTROLLED OVEN**
Manage cooking effortlessly with the temperature-controlled, spacious baking oven.
- 2 X-LARGE COOKTOP**
A thick steel cooktop measuring W65cm x D54cm with 2 removable trivets, gives you plenty of stove-top space.
- 3 HOT WATER JACKET**
Attaching to the rear of the unit, the hot water jacket heats water using the wood fire's heat, which can be used throughout the home.

TECHNICAL SPECIFICATIONS

 Heat up to 200m ²	 Firebox: 415w x 333d x 380h	15 Fifteen year firebox warranty
 Radiant heating - no fan	 Heater: 650w x 568d x 826h	 Log size to 300mm
 5mm heavy duty firebox	 Oven: 440w x 365d x 300h	 Optional hot water jacket
 Radiant cooking surface	 Large baker's oven	 Replaceable steel firebox liners

INSTALLATION PARTS

FLUE KIT

Default matte black flue kit	SG010400034
Default black mesh flue kit	FFK64M2
Insulated flue kit	SG020100021

ROOF FLASHING

Metal roof flashing	FF036
Tile roof flashing	FF037

HEARTH

Straight 1050mm x 1050mm	FHPT105
Corner 1250mm x 1250mm	FHPT125C

CONSUMABLE ITEMS

Firebox Metal Liner	SP50116 (LHS) SP50115 (RHS) SP50130 (Bottom)
Firebricks	SP50135
Brick retainer	SP50127
Glass seal	SG030400002
Rope seal	SG030300004
Temperature Gauge	SP50109
Hot Plates	SP0121

COOKING TIPS

HIGH TEMP COOKING
Oven: Maintain a brisk fire by adding smaller logs regularly. This method is ideal for baking and roasting.
Cooktop: Remove hotplates from the stove-top to access direct flame cooking for frying or using a wok.

LOW TEMP COOKING
Oven: Adjust the primary air inlet and oven temperature controls to reduce airflow and sustain a consistent, lower temperature.

ACCESSORY USAGE

HOT PLATE LIFTER
Located in the lower ash tray, the handy Hot Plate Lifter easily grabs and lifts hot plates safely off.

CLEANING BRUSH
Found in the flue collar, this tool is your maintenance go to - easily dislodging cresote build up around the firebox so hot air can flow easily to the oven.

OVEN RACKS
Your Heat and Cook comes with 2 wire racks, and 1 tray - adjustable for different cooking levels.

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.



SG010400172

Accent

The Kalora Accent inbuilt wood heater has been specifically designed for installation into existing masonry fireplaces overcoming the inefficiencies associated with traditional open fires such as excessive fuel burn, uncontrollable heat levels and energy that is lost straight out of the chimney.

The Accent also accommodates for those who love the look of an inbuilt wood heater but do not have an existing open fireplace. Our zero clearance solutions avail the opportunity to install the Kalora Accent into a timber-framed wall with the need for only minimal clearances.

THE BENEFITS

- 1 PERFECT FOR THE PRE-EXISTING**
Designed to fit into existing masonry fireplaces to overcome inefficiencies giving you more control.
- 2 ZERO CLEARANCE OPTION**
Allows you to install the Accent into a timber-framed wall with minimal clearances.
- 3 MINIMALIST DESIGN**
Clean lines and minimalist features, paired with gentle touch controls, allow the flame to be the focal point of the room.

TECHNICAL SPECIFICATIONS

 Heat up to 280m ²	 Firebox: 600w x 365d x 374h	 Efficiency 61%
 To suit mid or floor mount install	 Heater: 672w x 480d x 592h	 Emissions 1.1g/kg
 Zero clearance option	 6mm heavy duty firebox	 Avg. kW Rating 9.1kW
 Fifteen year firebox warranty	 Log size to 300mm	

INSTALLATION PARTS

FLUE KIT		
Inbuilt flue kit	SCFK64MINB	
INBUILT TIMBER STUD CAVITY INSTALL		
Zero clearance box	SG010400052	
Triple skin zero clearance flue kit	SCFKZCB06	
FASCIA		
Mid-mount	769w x 15d x 649h	
Floor-mount	769w x 15d x 629h	
ROOF FLASHING		
Metal roof flashing	FF036	
Tile roof flashing	FF037	
HEARTH		
Inbuilt pad 1050mm x 550mm	SG040100015	

Please note: All wood heaters must be installed by a qualified person whose work conforms with local council regulations, Australian/ New Zealand standards (AS/NZS 2918:2018) & manufacturers recommendations.

CONSUMABLE ITEMS

Firebrick set	SG030600024
Baffle	SG030700263
Brick retainer	SG030700269
Glass seal	SG030400002
Rope seal	SG030300005

MUST HAVES

Complete your setup with Forge-designed fireside accessories, cleaning, and maintenance products.



Forge Geo Flex Wood Storage (FLS008)



Matt Black Inbuilt Hearth Pad (SG040100015)

Sorrento

Enhance your home with a beautifully crafted, elegant Kalora Sorrento. Inspired by winter's spent on the Mornington Peninsula, Sorrento embodies the "heart of the home" philosophy with beach side themed flame media encased in an expansive firebox lined with high gloss reflective panels, a glass primary shield and framed in your choice of a beautiful black or (optional) stunning stainless one piece fascia.

Engineered to a precise specification this space heating appliance comes with a fully programmable remote control, is 4 star rated and offers four alternative burn media options.

THE BENEFITS

- 1 ENJOY THE CONVENIENCE**
With just the press of a button you can easily ignite, control and program the flames.
- 2 CHOOSE YOUR MEDIA**
Customise the media inside the Sorrento to suit your home, style and design.
- 3 ENHANCED AIR CIRCULATION**
The dual multi-speed fans ensure efficient and even distribution of heat, maximizing comfort.

TECHNICAL SPECIFICATIONS

- | | | |
|--|--|--|
|  Heat up to 90m ² |  Black & stainless fascia options |  Average efficiency 79% |
|  Suits mid or floor mount install |  4 decorative media options |  Thermostatic control (7 day programming) |
|  Heater: 672w x 480d x 592h |  High gloss reflective firebox liners |  Dual multi speed fans |
|  Gas log fire |  10 Ten year firebox warranty |  Remote control (Included with appliance) |

CHOOSE YOUR FASCIA



Beautiful Black Fascia (included)



Stunning Stainless Fascia (optional)

CHOOSE YOUR MEDIA

With Sorrento's range of options you can create a truly personal statement by customising your fuel-bed media.



Driftwood, pebbles and glass (included)



Pebbles and glass



Driftwood, pebbles and coal effect



Pebbles and coal effect



Zenith

Discover the epitome of warmth and style with the Zenith Electric Flame Effect Fireplace from Kalora. Elevate your space with versatile installation options: front mount, 2 side corner mount, or 3-sided mount.

Boasting 1500W heating power, wifi app control, and customizable flame settings, it's where modern convenience meets Kalora's timeless cosiness.

THE BENEFITS

- 1 3 MOUNTING OPTIONS**
Choose 1, 2 or all 3 sides of the Zenith exposed for a greater ambient experience by removing the left, right or both side panels.
- 2 WIFI APP CONTROL**
Control anywhere, anytime using the wifi/ app control from your phone or tablet.
- 3 AESTHETIC APPEAL**
The trueFLAME log & coal setting creates a realistic fireplace ambiance, adding warmth and character to your living space.

TECHNICAL SPECIFICATIONS

-  Wifi app control & Remote control
-  3 flame flicker speeds
-  Flame colour adjustment
-  Flame brightness setting
-  750W or 1500W heating capacity
-  Stylish contemporary design
-  Realistic trueFLAME log & coal setting
-  5 sizes to choose from
- 2** Two year warranty
-  Safety over temperature cut-out
-  3 installation options
(front, 2-side corner or 3-sided mount)
-  Electric flame effect

CHOOSE YOUR SIZE



Zenith 36"
(SG010100033)



Zenith 42"
(SG010100034)



Zenith 60"
(SG010100036)



Zenith 72"
(SG010100037)



Zenith 88"
(SG010100038)



nexus

Transform your space with Kalora's Nexus Electric Flame Effect Fireplace, a fusion of elegance and innovation.

Seamlessly sync with Google and Alexa for smart home control. Choose between 750W or 1500W heating options, creating a cosy haven. Its refined design and versatile installation, whether recessed or wall-mounted, make it an exquisite focal point.

THE BENEFITS

- 1 PERSONALISED AMBIENCE**
With 13 flame and fuel bed colour options, you can tailor the ambience to suit any mood or space.
- 2 SAFETY FIRST**
The cool-to-touch toughened glass feature ensures safety even with extended use.
- 3 PEACE OF MIND**
A 2 year warranty means your investment is backed by reliable performance and durability.

TECHNICAL SPECIFICATIONS

- | | | |
|---|--|---|
|  Wifi app control & Remote control |  Elegant focal point with balanced proportions | 2 Two year warranty |
|  13 flame and fuel bed colour options |  Seamlessly integrate with Google and Alexa for smart home control |  Overheat protection for added safety |
|  Flame illumination with energy-efficient LED technology |  Cool-to-touch toughened glass ensures safety |  Set a timer for 1-9 hours |
|  750W or 1500W heating options |  Flexible installation: recessed or wall mounted |  4 sizes to choose from |

CHOOSE YOUR SIZE



Nexus 36"
(SG010100039)



Nexus 50"
(SG010100040)




Nexus 60"
(SG010100041)



Nexus 74"
(SG010100042)

Freestanding


Unit Size and Clearances (mm)



	WIDTH	HEIGHT	DEPTH	A	B	C	D	E
Kalora 425R	500	700	445	625	275	350	385	410
Kalora Chalet 5	595	690	505	475	125	450	225	298
Kalora Chalet 6	695	733	536	500	125	500	300	311
Kalora 500C	672	690	490	250	150	425	100	332
Kalora 600C	772	762	560	350	175	437	170	375
Kalora 500BX	672	817	490	250	150	425	100	332
Kalora 600BX	772	861	560	350	175	437	170	375
Kalora Fusion	650	826	568	400	170	255	200	289
Kalora Urban PT	518	720	505	500	150	300	350	402
Kalora Urban LS	950	504	505	550	300	600	n/a	555

Inbuilt

Unit Size and Clearances (mm)




	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Kalora Accent	672	167	769	649	495	480	592	1330	1160	70	250	45	45	550	30
Kalora Urban LS	1078	341	1035	592	617	579	562								
Kalora Urban PT	646	335	605	805	614	579	778.5								
Kalora Sorrento	1235	175	1245	620	450	440	790								

Illustrations and photos reflect typical installations and are for design purposes only. Illustrations/diagrams are not drawn to scale. Actual product may vary from pictures in brochure.
Inbuilt Wood Heaters in a masonry fireplace MUST be fully flued as per recommendations from a qualified installer. Inbuilt Wood Heaters in a timber-frame MUST be installed with a Clearance Box.

Gas space heater

Unit Size and Clearances (mm)



	A	B	C	D	E	F	G	H	I	J	K
Kalora Sorrento	955	175	1234	620	452	440	808	80	1000	360	330

Kalora appliance comparison chart

	Part No.	Heating capacity	Emissions	Efficiency	Avg. kW Rating	Net Weight	Gross weight	Packaged W x D x H
Kalora 425R	KA425R	140m²	1.5g/kg	63%	15.6kW	85kg	109kg	585 x 585 x 870
Kalora Chalet 5	SG010100019	200m²	1.1g/kg	67%	7.9kw	125kg	133kg	710 x 610 x 868
Kalora Chalet 6	SG010100020	300m²	1.3g/kg	62%	10.1kw	148kg	168kg	810 x 675 x 905
Kalora 500C	KA500C	200m²	1.1g/kg	67%	7.9kW	137kg	156kg	780 x 645 x 880
Kalora 600C	KA600C	300m²	1.3g/kg	62%	10.1W	175kg	200kg	885 x 710 x 965
Kalora 500BX	KA500BX2	200m²	1.1g/kg	67%	7.9kW	160kg	179kg	780 x 650 x 1010
Kalora 600BX	KA600BX2	300m²	1.3g/kg	62%	10.1kW	205kg	220kg	890 x 710 x 1075
Kalora Fusion	KAF50	200m²	-	-	-	229kg	251kg	770 x 710 x 1070
Kalora Urban PT	SG010100016	200m²	0.5g/kg	68%	7.3kw	183kg	198kg	633 x 633 x 1152
Kalora Urban LS	SG010100006	300m²	0.7g/kg	61%	9.0kw	208kg	223kg	1065 x 715 x 895
Kalora Accent	SG010400172	280m²	1.1g/kg	61%	9.1kW	133kg	150kg	595 x 850 x 815
Kalora Sorrento	KAGAS10	90m²	-	79%	-	90kg	110kg	1350 x 585 x 1000

PLEASE NOTE

It is COMPULSORY to have your heater installed by a qualified person whose work conforms to Australian standards, local council regulations and manufacturer's recommendations. Your warranty and any home insurance may be void, on failure to do so.



Please refer to your units online user manual for the most up to date clearance information & hearth requirements.



PROFESSIONAL INSTALLATION

It is a requirement that all Kalora solid fuel and gas appliances are fitted by a qualified, licensed installer whose work complies with local council regulations, Australian standards and manufacturer's specifications. Failure to correctly install is extremely dangerous, will void any warranty claims and may compromise any future insurance claims.

Distributed by
Kalora Pty Ltd

58 Access Way,
Carrum Downs, 3201

03 8579 5905

Orders: orders@kalora.com.au

Service Inquiries: service@kalora.com.au

kalora.com.au

Due to our policy of continuous improvement of our products and services, technical specifications and claims, correct at the time of going to print, may be subject to variation without prior notice. Kalora has endeavoured to ensure that the information in this document is correct and fairly stated, but does not accept liability for any error or omission.

Kalora Pty Ltd accepts no liability whatsoever for their interpretation of AS/NZS 2918-2001, AS/NZS 4012-4013. All heating capacities quoted are based on units tested with quality hardwood. Minimal performance reduction may result due to large glassed areas, vaulted ceilings, draughts or insufficient insulation. We reserve the right to alter specifications without

notice. The images depicted in this brochure are digitally produced for display purposes only and are not representative of the standard required to meet warranty specification. The effectiveness and performance of the overnight burning is influenced significantly by individual installation and environmental conditions and the quality of fuel used.

